

# TANK TEES & PACKAGES

Multi-port tees attach pressure tanks to the rest of the water system



**INDEX**

<b>Product Line</b>	<b>Page</b>
Solid Tank Tees	1
WellMate Tank Tees	1
Union Tank Tees	2
Constant Pressure Manifolds	2
Manifold Brackets	2
Universal Pump Mounting Bracket	3
Constant Pressure Manifold Packages	3
Tank Tee Packages	4

## SOLID TANK TEES

Tank tees are a multi port fitting that is designed to connect a tank to the water system.



Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	Quantity	
					L1	L2
<b>304 Stainless Steel, Accessory Ports: (2) 1/4" FPT</b>						
Head casting with permanently installed schedule 40 pipe nipple leg.						
• NSF/ANSI Standard 372						
07ST-25SFH-2	1" FPT	1-3/4"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	40
07ST-25S-2	1" MPT	4-3/4"	1" MPT x 3/4" FPT	(2) 1/2" FPT	6	24
07ST-8-2	1" MPT	7-3/4"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	20
07ST-25-2	1" MPT	9-3/4"	1" MPT x 3/4" FPT	(2) 1/2" FPT	3	12
07ST-14X1-2	1" MPT	12-3/4"	1" MPT x 3/4" FPT	(2) 1/2" FPT	3	12
07ST-13S-2	1-1/4" MPT	4-1/2"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	6	24
07ST-13-2	1-1/4" MPT	12-7/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	2	8
07ST-16-2	1-1/4" MPT	15-7/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	3	12
07ST-13SFH-2	1-1/4" FPT	1-7/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	4	32
<b>Brass, Accessory Ports: (2) 1/4" FPT</b>						
• NSF/ANSI Standard 372						
2-07TK-25S-2NL	1" MPT	3-5/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	40
2-07TK-25-1NL	1" MPT	10"	1" MPT x 3/4" FPT	(1) 1/2" FPT	2	24
2-07TK-25-2NL	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	2	24
2-07TK-14X1-2NL	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	2	20
2-07TK-25SF-2NL	1" FPT	3-5/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	4	32
2-07TK-54S-2NL	1-1/4" MPT	3"	1" MPT x 3/4" FPT	(2) 1/2" FPT	5	40
2-07TK-13S-2NL	1-1/4" MPT	3-3/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	4	32
2-07TK-13-2NL	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	2	12
2-07TK-13SF-2NL	1-1/4" FPT	3-5/8"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	4	32
<b>Galvanized Malleable Iron, Accessory Ports: (2) 1/4" FPT</b>						
• NSF/ANSI Standard 372						
07HC100G	1" FPT	1-1/2"	1" FPT	(1) 3/4" FPT	30	
07HC125G	1-1/4" FPT	2"	1-1/4" FPT	(1) 3/4" FPT	20	
<b>PVC, Accessory Ports: (2) 1/4" FPT</b>						
07PT-25-2	1" MPT	11"	1" MPT x 3/4" Socket	(2) 1/2" FPT	60	
07-IC125	1-1/4" MPT x 1" FPT	3-5/8"	1" MPT x 3/4" FPT	(1) 3/4" FPT & (1) 1/2" FPT	100	



## WELLMATE TANK TEES

Tank tees are a multi port fitting that is designed to connect a tank to the water system. These tank tees are specially designed for the WellMate Quick Connect tank series. They have alignment tabs that interlock with the tank connection to keep the tee in perfect position. The leg length allows for the replacement of a pressure switch without hitting the tank, eliminating the need for the tee to be disassembled from the tank.



Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	O-Ring	Quantity	
						L1	L2
<b>Brass, Accessory Ports: (2) 1/4" FPT</b>							
• NSF/ANSI Standard 61 & 372							
07TK-25S-2-WMNL	Male QC	4-1/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-220	2	24
07TK-13S-2-WMNL	Male QC	6"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-220	2	24



Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

### UNION TANK TEES

Boshart's tank tees provide faster installation of a water system, are compact and make a clean looking installation reducing the number of potential leak points. They come in a variety of union style tees which allow for quick and easy replacement of the tank when required. Available in various leg lengths to accommodate any size / brand of tank on the market.



We offer an NSF 61 Certified Silicone Lubricant that is suitable for this Product. See OR-LUBE in the Filtration Section.

O-ring Material: Nitrile Rubber

Part No.	Tank Connection	Centre End Length	In-Line Connection	Drain Port	O-Ring	Quantity	
						L1	L2
<b>304 Stainless Steel, Accessory Ports: (2) 1/4" FPT</b>							
• NSF/ANSI Standard 372							
07ST-25S-2U	1" MPT	4-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	6	24
07ST-8-2U	1" MPT	7-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	6	24
07ST-25-2U	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	3	12
07ST-14X1-2U	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	3	12
07ST-25SF-2U	1" FPT	2-5/8"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-217	4	32
07ST-13S-2U	1-1/4" MPT	4-1/2"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	4	16
07ST-13-2U	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	2	8
07ST-16-2U	1-1/4" MPT	16"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	3	12
07ST-13SF-2U	1-1/4" FPT	2-3/4"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-221	4	24
<b>Brass, Accessory Ports: (2) 1/4" FPT</b>							
• NSF/ANSI Standard 372							
2-07TKO-25S-2UNL	1" MPT	4-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	4	24
2-07TKO-8-2UNL	1" MPT	7-1/2"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	2	20
2-07TKO-25-1UNL	1" MPT	10"	1" MPT x 3/4" FPT	(1) 1/2" FPT	AS 568-215	2	20
2-07TKO-25-2UNL	1" MPT	10"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	2	20
2-07TKO-14X1-2UNL	1" MPT	13"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-215	2	16
2-07TK-25SF-2UNL	1" FPT	3"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-212	4	32
2-07TKO-13S-2UNL	1-1/4" MPT	4-1/2"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-218	4	24
2-07TKO-13-2UNL	1-1/4" MPT	13"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-218	2	12
2-07TK-54SF-2UNL	1-1/4" FPT	3"	1" MPT x 3/4" FPT	(2) 1/2" FPT	AS 568-320	4	32
2-07TK-13SF-2UNL	1-1/4" FPT	3"	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	AS 568-320	4	24

### CONSTANT PRESSURE MANIFOLDS

Constant pressure manifolds are a multi port fitting that is designed to connect a tank to the water system. The MPT x FPT line connections on both ends allow for ease of installation.

Pressure gauge port: (1) 1/4"



Part No.	Tank Connection	In-Line Connection	Drain Port	Transducer Port	Quantity	
					L1	L2
<b>304 Stainless Steel,</b>						
• NSF/ANSI Standard 372						
07M-125SS	1" FPT	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	(1) 1"	6	24
07M-200SS	1" FPT	2" MPT x 1-1/2" FPT	(2) 3/4" FPT	(1) 1"	3	12
<b>Brass</b>						
• NSF/ANSI Standard 372						
2-07M-125-10NL	1" FPT	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	(1) 1"	16	
2-07M-125NL	3/4" FPT	1-1/4" MPT x 1" FPT	(2) 3/4" FPT	(1) 3/4"	16	

### MANIFOLD BRACKETS

The bracket allows a manifold to be secured to the brackets with "U" bolts and a small pressure tank inserted to the manifold. This bracket is interchangeable to allow for two different mounting options. Brackets are steel with black powder coat finish and are supplied with lag screws, "U" bolts, nylon lock nuts and plastic end caps.

Part No.	Size	Quantity	
		L1	L2
07M-125-MB	1-1/4"	20	
07M-200-MB	2"	20	

Contact your sales rep for any further information

Toll Free: 1-800-561-3164

boshart.com

Rev. 5.5



## UNIVERSAL PUMP MOUNTING BRACKET

Pump mounting bracket kit has the following components:

- (1) Zinc plated pump stand bracket
- (1) 3/8" - 16NC x 3/4" Zinc plated bolt
- (1) 3/8" - 16NC x 1" Zinc plated bolt
- (8) 3/8" Zinc plated flat washer
- (1) 1/2" - 13NC x 3/4" Long zinc plated hex bolt
- (1) 1/2" - 13NC x 1" Long zinc plated hex bolt
- (6) 1/2" Zinc plated flat washer
- (1) 5/8" - 11NC (external) x 3/8" - 16NC (internal) Insert
- (4) Blue plastic leg protectors

Note: To prevent damage to the tank it is very important to use the proper length bolts. A bolt which is too long may dent or puncture the tank dome. The length of bolt will vary on different tank styles. Always use slim washers where required.





Part No.	Quantity	
	L1	L2
PMB		20

## CONSTANT PRESSURE MANIFOLD PACKAGES

Boshart's constant pressure manifold packages come with a wide range of components and sizes to fit any application.  
• NSF/ANSI Standard 372



Part No.	Package Includes	Quantity	
		L1	L2
<b>Brass Manifold Packages</b>			
 TFP-2M125MBNL	<b>Manifold:</b> 07M-125NL <b>Manifold Bracket:</b> 07M-125-MB <b>Pressure Gauge:</b> PGCBM-1-100-GNL	<b>Relief Valve:</b> RVNB07-100NL <b>Hose Bibb:</b> 0852-07NL <b>Bushing:</b> NLBRB-0705	5
	TFP-2M125NL <b>Manifold:</b> 07M-125NL <b>Pressure Gauge:</b> PGCBM-1-100-GNL <b>Relief Valve:</b> RVNB07-100NL	<b>Hose Bibb:</b> 0852-07NL <b>Bushing:</b> NLBRB-0705	6
<b>304 Stainless Steel Manifold Packages</b>			
 TFP-07M125SS	<b>Manifold:</b> 07M-125SS <b>Pressure Gauge:</b> PGSCBM-100-G <b>Relief Valve:</b> SSRVN07-100	<b>Hose Bibb:</b> SSHB52-07 <b>Bushing:</b> 439-130, 439-131	6
	TFP-07M125SS-01 <b>Manifold:</b> 07M-125SS <b>Pressure Gauge:</b> PGSCBM-100-G <b>Relief Valve:</b> SSRVN07-100	<b>Hose Bibb:</b> SSHB52-07 <b>Bushing:</b> SS304B-1005, SS304B-1007 <b>Tape:</b> TT260-SS	6
	TFP-07M125SS-MB <b>Manifold:</b> 07M-125SS <b>Manifold Bracket:</b> 07M-125-MB <b>Pressure Gauge:</b> PGSCBM-100-G	<b>Relief Valve:</b> SSRVN07-100 <b>Hose Bibb:</b> SSHB52-07 <b>Bushing:</b> 439-130, 439-131	5
	TFP-07M125SSMB-01 <b>Manifold:</b> 07M-125SS <b>Manifold Bracket:</b> 07M-125-MB <b>Pressure Gauge:</b> PGSCBM-100-G <b>Relief Valve:</b> SSRVN07-100	<b>Hose Bibb:</b> SSHB52-07 <b>Bushing:</b> SS304B-1005, SS304B-1007 <b>Tape:</b> TT260-SS	5
	TFP-07M200SS-MB <b>Manifold:</b> 07M-200SS <b>Manifold Bracket:</b> 07M-200-MB <b>Pressure Gauge:</b> PGSCBM-100-G	<b>Relief Valve:</b> SSRVN07-100 <b>Hose Bibb:</b> SSHB52-07 <b>Bushing:</b> 439-130, 439-131	5

Contact your sales rep for any further information

Toll Free: 1-800-561-3164  
boshart.com



## TANK TEE PACKAGES

Part No.	Package Includes	Quantity		
		L1	L2	
<b>Solid No Lead Brass with Female Union</b>				
	TFP-2TK13SF2UNL	<b>Tank Tee:</b> 2-07TK-13SF-2UNL <b>Boiler Drain:</b> 0853-07NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB07-075NL	6
	TFP-2TK25SF2UNL	<b>Tank Tee:</b> 2-07TK-25SF-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6
<b>Union No Lead Brass</b>				
	TFP-2TK132UNL	<b>Tank Tee:</b> 2-07TKO-13-2UNL <b>Boiler Drain:</b> 0853-07NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB07-075NL	6
	TFP-2TK13S2UNL	<b>Tank Tee:</b> 2-07TKO-13S-2UNL <b>Boiler Drain:</b> 0853-07NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB07-075NL	6
	TFP-2TK1412UNL	<b>Tank Tee:</b> 2-07TKO-14X1-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6
	TFP-2TK251UNRNL	<b>Tank Tee:</b> 2-07TKO-25-1UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230	6
	TFP-2TK252UCV02NL	<b>Tank Tee:</b> 2-07TKO-25-2UNL <b>Boiler Drain:</b> 0852-05NL <b>Pressure Gauge:</b> PG-100NL <b>Pressure Switch:</b> FSG2J21	<b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL <b>Check Valve:</b> 17YBCV100NL <b>Ball Valve:</b> 0820-10NL	6
	TFP-2TK252UJ24NL	<b>Tank Tee:</b> 2-07TKO-25-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6
	TFP-2TK252UM4CVNL	<b>Tank Tee:</b> 2-07TKO-25-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL <b>Pressure Switch:</b> FSG2J21M4	<b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL <b>Check Valve:</b> 17YBCV100NL	6
	TFP-2TK252UM4NL	<b>Tank Tee:</b> 2-07TKO-25-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21M4 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6
	TFP-2TK252UNL	<b>Tank Tee:</b> 2-07TKO-25-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6
	TFP-2TK252UP3NL	<b>Tank Tee:</b> 2-07TKO-25-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> PS02-3050 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6
	TFP-2TK252UP4NL	<b>Tank Tee:</b> 2-07TKO-25-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> PS02-4060 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6
	TFP-2TK25S2UNL	<b>Tank Tee:</b> 2-07TKO-25S-2UNL <b>Boiler Drain:</b> 0853-05NL <b>Pressure Gauge:</b> PG-100NL	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> BRN-0230 <b>Relief Valve:</b> RVNB05-075NL	6

Contact your sales rep for any further information

Toll Free: 1-800-561-3164  
boshart.com

## TANK TEE PACKAGES

Part No.	Package Includes	Quantity	
		L1	L2
<b>Solid Stainless Steel</b>			
 TFP-ST132J24-01	<b>Tank Tee:</b> 07ST-13-2 <b>Boiler Drain:</b> SSHB52-07 <b>Pressure Gauge:</b> PGS25-100 <b>Pressure Switch:</b> FSG2J24	<b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN07-075 <b>Tape:</b> TT260-SS	6
TFP-ST162J24-01	<b>Tank Tee:</b> 07ST-16-2 <b>Boiler Drain:</b> SSHB52-07 <b>Pressure Gauge:</b> PGS25-100 <b>Pressure Switch:</b> FSG2J24	<b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN07-075 <b>Tape:</b> TT260-SS	4
TFP-ST252	<b>Tank Tee:</b> 07ST-25-2 <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
TFP-ST252J24	<b>Tank Tee:</b> 07ST-25-2 <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
<b>Union Stainless Steel</b>			
 TFP-ST132U	<b>Tank Tee:</b> 07ST-13-2U <b>Boiler Drain:</b> SSHB52-07 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN07-075	6
TFP-ST13S2U	<b>Tank Tee:</b> 07ST-13S-2U <b>Boiler Drain:</b> SSHB52-07 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN07-075	6
TFP-ST14X12U	<b>Tank Tee:</b> 07ST-14X1-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
TFP-ST14X12UJ24	<b>Tank Tee:</b> 07ST-14X1-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-100	6
TFP-ST252U	<b>Tank Tee:</b> 07ST-25-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
TFP-ST252UJ24	<b>Tank Tee:</b> 07ST-25-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
TFP-ST252UJ24-04	<b>Tank Tee:</b> 07ST-25-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS-100-G <b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> SS304N-0230, SS304N-0720	<b>Relief Valve:</b> SSRVN05-100 <b>Check Valve:</b> 17CVSS-100 <b>Ball Valve:</b> SSBV304-07 <b>Fitting:</b> SS304SE-07	6
TFP-ST252UJ24-07	<b>Tank Tee:</b> 07ST-25-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGSCBM-100-G <b>Pressure Switch:</b> FSG2J24	<b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-100 <b>Check Valve:</b> 17CVSS-100 <b>Ball Valve:</b> SSBV304-10	6
TFP-ST25S2U	<b>Tank Tee:</b> 07ST-25S-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
TFP-ST25S2UJ24	<b>Tank Tee:</b> 07ST-25S-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
TFP-ST25S2UJ24-04	<b>Tank Tee:</b> 07ST-25S-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS-100-G <b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> SS304N-0230, SS304N-0720	<b>Relief Valve:</b> SSRVN05-100 <b>Check Valve:</b> 17CVSS-100 <b>Ball Valve:</b> SSBV304-07 <b>Fitting:</b> SS304SE-07, SS304C-10	6
TFP-ST82U	<b>Tank Tee:</b> 07ST-8-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J21 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6
TFP-ST82UJ24	<b>Tank Tee:</b> 07ST-8-2U <b>Boiler Drain:</b> SSHB52-05 <b>Pressure Gauge:</b> PGS25-100	<b>Pressure Switch:</b> FSG2J24 <b>Nipple:</b> SS304N-0230 <b>Relief Valve:</b> SSRVN05-075	6

Contact your sales rep for any further information

Toll Free: 1-800-561-3164  
boshart.com

Rev. 5.5